

Preparing a Statistical Analysis Plan

IT IS THE RESPONSIBILITY OF ALL USERS OF THIS SOP TO ENSURE THAT THE CORRECT VERSION IS BEING USED

All staff should regularly check the R&D Unit's website and/or Q-Pulse for information relating to the implementation of new or revised versions. Staff must ensure that they are adequately trained in the new procedure and must make sure that all copies of superseded versions are promptly withdrawn from use unless notified otherwise by the SOP Controller.

The definitive versions of all R&D Unit SOPs appear online. If you are reading this in printed form check that the version number and date below is the most recent one as shown on the R&D Unit website: www.northyorksresearch.nhs.uk/sops.html and/or Q-Pulse

SOP Reference:	R&D/S85
Version Number:	3.0
Author:	Deborah Phillips
Implementation date of current version:	15 th June 2017

Approved by:	Name/Position:	Lydia Harris, Head of R&D
	Signature:	Signed copy held by R&D Unit
	Date:	18 th May 2017
	Name/Position:	Sarah Sheath, SOP Controller
	Signature:	Signed copy held by R&D Unit
	Date:	18 th May 2017

This SOP will normally be reviewed at least every 3 years unless changes to the legislation require otherwise

Version History Log

This area should detail the version history for this document. It should detail the key elements of the changes to the versions.

Version	Date Implemented	Details of significant changes
1.0	2 nd July 2012	
2.0	26 th January 2015	Two year review
3.0	15 th June 2017	Change of author and two year review. Minor formatting changes and update.

Contents

	<u>Page No</u>
1 Introduction, Background and Purpose	1
2 Who Should Use This SOP	1
3 When this SOP Should be Used	1
4 Procedure(s)	1
4.1 Determining the need for a Statistical Analysis Plan	1
4.2 Content of the Statistical Analysis Plan	2
5 Related SOPs and Documents	3

1 Introduction, Background and Purpose

The purpose of this SOP is to describe the purpose, content and preparation of a statistical analysis plan (SAP).

The methods to be used for statistical analysis should be outlined in the study protocol and the details provided in the protocol may be sufficient for certain studies (e.g. non CTIMPs) but, if not, a SAP should be produced. A SAP is a comprehensive and detailed description of the methods and presentation of the data analysis including both the main and any interim analyses. This is to avoid post hoc decisions that may affect the data analysis and its interpretation.

Statistical analyses of Clinical Trials of Investigational Medicinal Products (CTIMPs) should comply with the principles of Good Clinical Practice (GCP), particularly ICH E9 'Statistical Principles for Clinical Trials'.

2 Who Should Use This SOP

This SOP should be used by the Chief Investigator, Statistician, R&D Research Adviser and any other member of staff involved in the statistical analysis of research projects sponsored by York Teaching Hospital NHS Foundation Trust.

3 When this SOP Should be Used

This SOP applies to all research projects sponsored or co-sponsored by York Teaching Hospital NHS Foundation Trust.

4 Procedure(s)

The following procedures should be followed.

4.1 Determining the need for a Statistical Analysis Plan

The methods to be used for statistical analysis should be outlined in the study protocol and the details provided in the protocol may be sufficient for certain studies but, if not, a detailed SAP should be produced. The need for a SAP for individual studies will be decided by the R&D Unit in collaboration with the R&D Group when it considers the initial application for the Trust to act as study Sponsor. If a SAP is required, a decision about who will sign off the SAP, and when, will be taken at that time.

When a SAP is required, it should be written when the study is certain to proceed. In an unblinded trial it should be reviewed and finalised before any data analysis is begun. In a blinded trial, the SAP should be reviewed and possibly updated as a result of the blind review of the data but must be finalised before the blind is broken.

4.2 Content of the Statistical Analysis Plan

The plan should include:

1. The authorship of the SAP, its version number and the date it was signed off and by whom.
2. The number of subjects planned to be enrolled and the assumptions underpinning the sample size calculation.
3. A comprehensive and detailed description of the methods of the data analysis including both the main and any interim analyses as follows:
 - The objectives of the study
 - The hypotheses that are to be tested and /or the treatment effects that are to be estimated in order to meet the trial objectives
 - The population for analyses e.g. intention to treat, per protocol
 - All the primary and secondary outcomes for the study. If possible, one principal primary outcome should be identified

For each outcome measure, the following information should be provided

- How the outcome will be measured
 - How transformation of the data will be achieved if this is required
 - Which statistical tests will be used to analyse these outcome data
 - How missing data will be accounted for in the analysis
- Level of statistical significance and whether one or two sided tests will be used (the use of one sided tests must be justified)
 - The following should also be considered / detailed where applicable:
 - Use of baseline values to improve precision or to adjust for potential baseline differences
 - Adjustment for influence of covariates
 - Methods for handling multicentre data
 - Methods for multiple comparisons
 - Methods for handling treatment interactions
 - Interim or sequential analyses and when these analyses will be performed
 - Rules for stopping the trial and allowance for this in the analysis
 - Methods for handling outliers
 - Methods for handling spurious data
 - Methods for handling withdrawals and protocol deviations
 - Methods for point and interval estimation
 - Approach to handling concomitant medications
 - Definition of the safety population
 - Specification of computer systems and packages to be used for statistical analysis
 - Sensitivity analyses
 - List of the tables and figures for presentation of the data

- Provision should be made for checking the statistical model and information provided about the alternative methods to be used if the test assumptions are not met.
- Any changes to the methods of analysis described originally in the study protocol and/ or a change in the sample size should be explained and justified in the SAP. Subsequent revisions to the SAP should also be justified.
- The analysis plan should be circulated for review and comment to the Chief investigator and/or the Principal Investigator and to others who may usefully comment. The SAP will be signed off in accordance with the requirements stipulated by the R&D Group.

The R&D Office have links to the University of York and could work with staff to obtain appropriate access to statistical support if required. In addition the Trust also has access to statistical software. If you wish to discuss statistical support for your research please contact the R&D Office for further details.

5 Related SOPs and Documents

Medicines for Human Use (Clinical Trials) Regulations 2004 (SI 2004/1031) and its subsequent amendments <http://www.legislation.gov.uk/uksi/2004/1031/>

ICH Topic E6, Guideline for Good Clinical Practice (CPMP/ICH/135/95) July 2002, European Medicines Agency, http://www.emea.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500002874.pdf

ICH Topic E9, Statistical Principles for Clinical Trials (CPMP/ICH/363/96) September 1998, European Medicines Agency, http://www.emea.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500002928.pdf

Guidelines for Standard Operating Procedures for Good Statistical Practice in Clinical Research, Statisticians in the Pharmaceutical Industry, June 2000.

R&D/S29 Data Management